

## EAST Search History

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| L1    | 13   | "4680110"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/06/25<br>09:26 |
| L2    | 10   | ("4680110").<br>URPN.  | USPAT   | OR               | ON      | 2008/06/25<br>09:29 |
| L3    | 77   | ("0014386"  <br>"0916003"  <br>"1133845"  <br>"1318068"  <br>"1623074"  <br>"1866970"  <br>"2068395"  <br>"2070189"  <br>"2084743"  <br>"2207399"  <br>"2377988"  <br>"2408605"  <br>"2437453"  <br>"2747555"  <br>"2917285"  <br>"2942855"  <br>"2980172"  <br>"3282429"  <br>"3354872"  <br>"3447511"  <br>"3568835"  <br>"3616885"  <br>"3743096"  <br>"3768730"  <br>"3883428"  <br>"3913543"  <br>"3925204"  <br>"3935901"  <br>"3962999"  <br>"4003356"  <br>"4015567"  <br>"4027639"  <br>"4044742"  <br>"4045349"  <br>"4052307"  <br>"4072138"  <br>"4091265" | US-PGPUB;<br>USPAT; USOCR   | OR               | ON      | 2008/06/25<br>09:30 |

|    |      |  |   |    |    |                     |
|----|------|--|---|----|----|---------------------|
|    |      | "4091782"<br>"4146002"<br>"4237850"<br>"4264442"<br>"4321136"<br>"4326491"<br>"4326492"<br>"4354946"<br>"4368716"<br>"4386596"<br>"4395996"<br>"4420342"<br>"4421090"<br>"4428351"<br>"4452695"<br>"4502955"<br>"4502956"<br>"4522712"<br>"Re26186").PN. |   |    |    |                     |
| L4 | 4    | thermostat same<br>(conductive adj<br>resin)   | US-PGPUB;<br>USPAT; USOCR   | OR | ON | 2008/06/25<br>09:42 |
| L5 | 32   | sensor with<br>temperature same<br>(conductive adj<br>resin)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/06/25<br>09:43 |
| L6 | 0    | sensor with<br>temperature same<br>(conduct\$3 with<br>electical\$3 with<br>(epoxy or resin))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/06/25<br>09:45 |
| L7 | 0    | sensor with<br>temperature and<br>(conduct\$3 with<br>electical\$3 with<br>(epoxy or resin))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/06/25<br>09:46 |
| L8 | 1382 | sensor with<br>temperature and<br>(conduct\$3 with<br>electrical\$3 with<br>(epoxy or resin))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/06/25<br>09:46 |

|     |    |   |   |    |     |                     |
|-----|----|---|---|----|-----|---------------------|
| L9  | 89 | sensor with temperature same (conduct\$3 with electrical\$3 with (epoxy or resin))                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/06/25<br>09:46 |
| L10 | 58 | sensor with temperature same (conduct\$3 with electrical\$3) and "210"/\$5.ccls.                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/06/25<br>09:56 |
| L11 | 0  | sensor with temperature same (conduct\$3 with electrical\$3) and "210"/\$5.ccls. and (oil adj filter) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/06/25<br>09:57 |
| L12 | 2  | ("6208254").PN.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/06/25<br>10:20 |

6/25/2008 10:26:37 AM

C:\Documents and Settings\jdrodge\My Documents\EAST\Workspaces\default.wsp